

Zip Cloud Whisper Acoustic | Pendant

Features

- Architectural luminaire
- Acoustic felt for sound absorption
- Sleek circular shape
- Pendant mounting
- Multiple felt finishes
- Dry and damp rated for indoor applications
- Designed and Manufactured in North America
- 5 Year Warranty



Specifications

Construction

Aluminum extruded body

Dimensions

Diameter: 24", 36"
Height: 12"

LED

Samsung LM281B Plus Pro, 3-Step MacAdam Binning
120 Lm/W
L70>200,000

Watts: Direct

Zip Cloud Whisper 24: 20W, 30W, 40W
Zip Cloud Whisper 36: 40W, 80W, 120W, 160W

Color Temperature

2700K - 5000K

CRI

80 or 90

Voltage

120/277V or 347V

Driver

0-10V Dimming down to 1%
No Dimming

Lens

Frosted Flat

Mounting

Aircraft Cable (10' std)

Wiring

Black and White 3 Conductor Wire (No Dimming)
Black and White 5 Conductor Wire

Certifications

cULus

Not all products are qualified on the DLC QPL. To view our DLC qualified products, please consult the DLC qualified products list at www.designlights.org/qpl.



Date	Fixture	Notes
<input type="text"/>	<input type="text"/>	<input type="text"/>
Project		<input type="text"/>
<input type="text"/>		<input type="text"/>

Ordering Guide

Sample Configuration: ZIP CLOUD WHISPER - 24 - 40 - 80 - 4K - U - FR - Amber - AC - DIMOFF - BFC 5 WIRE - CL - 6 - WH


Zip Cloud Whisper						FR		AC
Model	Size	Watts	CRI	Color Temp	Voltage	Lens	Eco-Lux Felt	Mounting
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Driver	Wiring	Wire Color	Wire Length	Canopy Finish				

Model	Size	Watts	CRI	Color Temp	Voltage	Lens	Eco-Lux Felt
Zip Cloud Whisper	24	20, 30, 40	80	3K - 3000K	U - 120/277V	FR - Frosted Flat	White Light Grey Sepia Camel Beton Khaki Yellow
	36	40, 80, 120, 160	90	35K - 3500K 4K - 4000K 5K - 5000K	H - 347V		

Eco Lux Felt (cont.)	Mounting	Driver	Wiring
Red Velvet Grape Kiwi Grass Green Tournament Green Dark Green	Pine Aqua Blue Cobalt Cello Blue Ocean Blue Royal Blue Dark Blue	Platinum Medium Grey Dark Ink Sesame Black	AC - Aircraft Cable DIMOFF - 0-10V Dimming down to 1% ND - No Dimming BFC 3 WIRE - Black 3 Conductor Wire (no dimming) WFC 3 WIRE - White 3 Conductor Wire (no dimming) BFC 5 WIRE - Black 5 Conductor Wire WFC 5 WIRE - White 5 Conductor Wire

Wire Color	Wire Length	Canopy Finish
CL - Clear Optional B - Black W - White	Length _____ 6' Standard	WH - White BLK - Black CU - Custom* Note: Please contact factory for custom finishes

Dimensions




Ø: 24", 36"
H: 12"

Output Performance

Model	Watts	Direct Lm/W	Delivered Lumens
Zip Cloud Whisper 24	20	120	2400
	30		3600
	40		7200
Zip Cloud Whisper 36	40	120	4800
	60		9600
	120		14,400
	160		19,200


Mounting Options



Ø 4.5"
Power Feed



Ø 2"
Non Power Feed



Aircraft Cable Canopy / Drywall Anchor

Eco-Lux Designer Felt

3.175mm Thick
500 GSM (14.75 opsy)

