

DTL Boom U

Wall Mount

Features

- · Wall mounted architectural luminaire
- · U shaped design
- · Multiple length options
- 6" and 1' depths
- Multiple RAL and decorative paint finishes
- Dry and damp rated for indoor applications
- · Designed and Manufactured in North America
- 5 Year Warranty



Specifications

Construction

L90>70,000

Aluminum Extruded Body Cast End Caps with Light Block

LED

Samsung LM281B Plus Pro, 3-Step MacAdam Binning 4000K - 130 Lm/W 3500K - 98% 3000K - 95%

Lumens/Ft - Direct/Indirect Min: 250 Lm/ft - Max: 1200 Lm/ft

Color Temperature

2700K - 5000K

CRI

80 or 90

Voltage

120/277V or 347V

Drive

0-10V Dimming down to 1%, DALI, Lutron, ELDO

Lens

Frosted Flat Batwing (indirect only)

Mounting

Wall mount

Wiring

5 Leads 5 Wire

Finishes

RAI

Decorative Paint (Custom)

Certifications

cULus








Date	Fixture	Notes
Project		

Ordering Guide

Sample Configuration: DTL Boom U - 5 - 1 - 500 - 500 - 90 - 4K - U - FR - BLK - WM - DIMOFF - N




Model	Length	Depth	Direct Lm/Ft	Indirect Lm/Ft	CRI	Color Temp	Voltage
DTL Boom U	2' - 7'	6" 1'	D 250 (min) - D 1200 (max)	D 250 (min) - D 1200 (max)	80 90	27K - 2700K 3K - 3000K 35K - 3500K 4K - 4000K 5K - 5000K	U - 120/277V H - 347V

Direct Lens	Indirect Lens	Finish RAL	Decorative Paint	Mounting
FR - Frosted Flat	FR - Frosted Flat BATWING - Batwing	WH - White BLK - Black GRY - Grey CU - Custom*	2Please specify finish name (pg. 5) Additional finishes availabe - please contact factory	WM - Wall Mount
		Note: For custom finishes please specify RAL number (pg.4)	Note: Minimum Order Quantity (MOQ required). Please contact factory for more information	


Driver	Wiring	
DIMOFF - 0-10V Dimming down to 1% Optional DALI - Digital Addressable Lighting Interface LUTRON - Lutron Ecosystem ELDO - Dim to 0.11% ELDO (347 only 1-10 5%)	N - 5 Leads Optional 5 WIRE - 5 Wire	



Dimensions




Model	A - Length
Boom U 2FT	29.45"
Boom U 3FT	41.65"
Boom U 4FT	53.85"
Boom U 5FT	66.05"
Boom U 6FT	78.25"
Boom U 7FT	90.45"



Lengths

Model	B - Length
Boom U 2FT	26.75"
Boom U 3FT	38.75"
Boom U 4FT	50.75"
Boom U 5FT	62.75"
Boom U 6FT	74.75"
Boom U 7FT	86.75"

Mounting





RAL Finish Options

Standard Finishes



Sample Custom Finishes





Please Contact Factory



Decorative Paint

Sample Finishes



TeakDark Brown
Textured Matte



Douglas Light Brown Textured Matte



Pine Light Brown Textured Matte



Cherry Light Brown Smooth Matte



Oak White Smooth Matte



Bamboo Light Brown Smooth Matte



Marble White Smooth Matte



Marble
Dark Brown
Smooth Glossy



Stone Grey Smooth Matte



Stone Grey Icetouch



Brushed Grey Textured Matte



Spatulated Grey Smooth Glossy

Note:

- Minimum Order Quantity (MOQ required. Please contact factory for more information.
- Please contact factory lead times and additional finishes