




Date: \_\_\_\_\_ Fixture: \_\_\_\_\_

QTY: \_\_\_\_\_ Project: \_\_\_\_\_



# Thinline Double Y 135

## Suspended Direct-Indirect

Architectural luminaire. 135° Double Y shaped fixture. Pendant mounting. Direct-Indirect distribution. Available in 2 sizes. 2.25" wide. Multiple finishes available. Designed and manufactured in North America. 10 Year Warranty.



### Ordering Options

Model	Size	Direct Lm/ft	Indirect Lm/ft	CRI	Color Temp	Voltage	Direct Lens
DTL DBL Y 135	4FT x 2FT	D 250	I 250	80	27K 2700K	U 120/277V	FR Frosted
	6FT x 3FT	D 500	I 500	90	3K 3000K	H 347V	FRREG Frosted Regressed
	Custom Sizes Available - Please Consult Factory	D 750 D 1000 D _____ (custom up to 1200)	I 750 I 1000 I _____ (custom up to 1200)		35K 3500K 4K 4000K 5K 5000K		

### DTL DBL Y 135

Indirect Lens	Finish	Mounting	Driver	Controls	Circuits
FR Frosted BATWING Batwing	GRY Grey WH White BLK Black CU Custom	AC Aircraft Cable 10' Std	DIMOFF 0-10 1% DIMOFF LUTRON Lutron Ecosystem SR Philips SR DALI ELDO .1% ELDO (347 only 1-10 5%)	N None DMX SNS Philips SNS 300 w/BLD & Daylight CLM Encelium CLM LG LG Dongle BT Bluetooth Mesh EN Enlighted Integral	1 1 Circuit 2 2 Circuits

Indirect Lens: Minimum size 4FT x 2FT

		AC			
--	--	----	--	--	--

Accessories	Wiring	Wire Color	Wire Length	Canopy Color
N None 10kV 10kV Surge Protection EMBAT 6W 90 Min Battery	N None BFC3 3 Wire Cord Black WFC3 3 Wire Cord White IN3 3 Wire Internal IN5 5 Wire Internal CFC Architectural Cable - 5 Wire BFC5 5 Wire Cord Black WFC5 5 Wire Cord White	G Grey W White B Black C Clear	_____ FT (6FT Standard)	WH White BLK Black CU Custom

--	--	--	--	--

Sample: DTL DBL Y 135 - 4FT x 2FT - D 500 - I 500 - 90 - 4K - U - FR - GRY - AC - DIMOFF - N - 1 - N - N - G - 6 - WH


## LED

L90 > 70,000  
 Samsung 301 3 McAdam Binning  
 4000K 120 Lm/W  
 3500K 98%  
 3000K 96%  
 90 CRI 85%

## Performance


Model	Lm/W
4000K	120 Lm/W
3500K	116 Lm/W
3000K	112 Lm/W

## Dimensions



MODEL	A	B
4FT x 2FT	84.50"	36.00"
6FT x 3FT	125.47"	52.97"

### Mounting



MODEL	A	B	C	D
4FT x 2FT	80.32"	31.82"	22.50"	48.50"
6FT x 3FT	121.29"	48.79"	34.50"	72.50"

● Mounting Locations

### Finish Options

#### Standard Finishes



Grey  
RAL 7046  
Sandtex

White  
RAL 9003  
Sandtex

Black  
RAL 9004  
Sandtex

#### Custom Finishes



Orange  
RAL 2009  
Sandtex

Blue  
RAL 5012  
Sandtex

Yellow  
RAL 1037  
Sandtex

Green  
RAL 6010  
Sandtex

Additional finishes - Please contact factory