




Date: \_\_\_\_\_ Fixture: \_\_\_\_\_

QTY: \_\_\_\_\_ Project: \_\_\_\_\_



# Thinline T 60-120

## Suspended Direct-Indirect

Architectural luminaire. 60° and 120° T Shaped light fixture. Pendant mounting. Direct-Indirect distribution. Available in 3 sizes. 2.25" wide. Multiple finishes. cULus Listed.

Designed and manufactured in North America. 5 Year Warranty.

### Ordering Options

Model	Size	Direct Lm/ft	Indirect Lm/ft	CRI	Color Temp	Voltage	Direct Lens
DTL T 60	4FT x 2FT	D 250	I 250	80	27K 2700K	U 120/277V	FR Frosted
DTL T 120	6FT x 3FT	D 500	I 500	90	3K 3000K	H 347V	FRREG Frosted Regressed
	8FT x 4FT	D 750	I 750		35K 3500K		
	Custom Sizes Available - Please Consult Factory	D 1000	I 1000		4K 4000K		
		D _____	I _____		5K 5000K		
		(custom up to 1200)	(custom up to 1200)				

Indirect Lens	Finish	Mounting	Driver	Controls	Circuits
FR Frosted	GRY Grey	AC Aircraft Cable	DIMOFF 0-10 1% DIMOFF	N None	1 1 Circuit
BATWING Batwing	WH White	10' Std	LUTRON Lutron Ecosystem	DMX	2 2 Circuits
	BLK Black		SR Philips SR	SNS Philips SNS 300 w/BLD & Daylight	
<i>Indirect Lens: Minimum size 4FT x 2FT</i>	CU Custom		DALI	CLM Encelium CLM	
			ELDO .1% ELDO (347 only 1-10 5%)	LG LG Dongle	
				BT Bluetooth Mesh	
				EN Enlighted Integral	

Accessories	Wiring	Wire Color	Wire Length	Canopy Color
N None	N None	G Grey	_____ FT (6FT Standard)	WH White
10kV 10kV Surge Protection	BFC3 3 Wire Cord Black	W White		BLK Black
EMBAT 6W 90 Min Battery	WFC3 3 Wire Cord White	B Black		CU Custom
	IN3 3 Wire Internal	C Clear		
	IN5 5 Wire Internal			
	CFC Architectural Cable - 5 Wire			
	BFC5 5 Wire Cord Black			
	WFC5 5 Wire Cord White			

Sample: DTL T 120 - 4FT x 2FT - D 500 - I 500 - 90 - 4K - U - FR - GRY - AC - DIMOFF - N - 1 - N - N - G - 6 - WH



**LED**

L90 > 70,000  
 Samsung 301 3 McAdam Binning  
 4000K 120 Lm/W  
 3500K 98%  
 3000K 96%  
 90 CRI 85%

**Performance**


Model	Lm/W
4000K	120 Lm/W
3500K	116 Lm/W
3000K	112 Lm/W

**Dimensions**



MODEL	A	B	C
4FT x 2FT	48.71"	22.42"	41.05"
6FT x 3FT	72.71"	34.42"	61.84"
8FT x 4FT	96.71"	50.27"	84.85"

### Mounting



MODEL	A	B	C
4FT x 2FT	45.00"	22.50"	38.97"
6FT x 3FT	69.00"	34.50"	59.76"
8FT x 4FT	93.00"	46.50"	80.54"

### Finish Options

#### Standard Finishes



Grey  
RAL 7046  
Sandtex

White  
RAL 9003  
Sandtex

Black  
RAL 9004  
Sandtex

#### Custom Finishes



Orange  
RAL 2009  
Sandtex

Blue  
RAL 5012  
Sandtex

Yellow  
RAL 1037  
Sandtex

Green  
RAL 6010  
Sandtex

Additional finishes - Please contact factory