




Date: \_\_\_\_\_ Fixture: \_\_\_\_\_

QTY: \_\_\_\_\_ Project: \_\_\_\_\_



# Thinline Octagon

## Suspended Direct | Direct-Indirect

Architectural luminaire. Octagonal shaped design. Pendant mounting. Direct and Direct-Indirect distribution options. 3 standards sizes. Additional sizes available. 2.25" wide. Multiple finishes. cULus Listed.

Designed and manufactured in North America.  
5 Year Warranty.

### Ordering Options

Model	Size	Direct Lm/ft	Indirect Lm/ft	CRI	Color Temp	Voltage	Direct Lens
DTL OCTA	8 x 2FT	D 250	I 250	80	27K 2700K	U 120/277V	FR Frosted
	8 x 3FT	D 500	I 500	90	3K 3000K	H 347V	FRREG Frosted Regressed
	8 x 4FT	D 750	I 750		35K 3500K		
	Custom Sizes Available - Please Consult Factory	D 1000	I 1000		4K 4000K		
		D _____ (custom up to 1200)	I _____ (custom up to 1200)		5K 5000K		

DTL OCTA							
Indirect Lens	Finish	Mounting	Driver	Controls	Circuits		
FR Frosted	GRY Grey	AC Aircraft Cable	DIMOFF 0-10 1% DIMOFF	N None	1	1 Circuit	
BATWING Batwing	WH White	10' Std	LUTRON Lutron Ecosystem	DMX	2	2 Circuits	
	BLK Black		SR Philips SR	SNS Philips SNS 300 w/BLD & Daylight			
<i>Indirect Lens: Minimum size 8FT x 2FT</i>	CU Custom		DALI	CLM Encelium CLM			
			ELDO .1% ELDO (347 only 1-10 5%)	LG LG Dongle			
				BT Bluetooth Mesh			
				EN Enlighted Integral			

		AC				
Accessories	Wiring	Wire Color	Wire Length	Canopy Color		
N None	N None	G Grey	_____ FT (6FT Standard)	WH	White	
10kV 10kV Surge Protection	BFC3 3 Wire Cord Black	W White		BLK	Black	
EMBAT 6W 90 Min Battery	WFC3 3 Wire Cord White	B Black		CU	Custom	
	IN3 3 Wire Internal	C Clear				
	IN5 5 Wire Internal					
	CFC Architectural Cable - 5 Wire					
	BFC5 5 Wire Cord Black					
	WFC5 5 Wire Cord White					

Sample: DTL OCTA- 8FT x 2FT - D 500 - I 500 - 90 - 4K - U - FR - GRY - AC - DIMOFF - N - 1 - N - N - G - 6 - WH


## LED

L90 > 70,000  
 Samsung 301 3 McAdam Binning  
 4000K 120 Lm/W  
 3500K 98%  
 3000K 96%  
 90 CRI 85%

## Performance

Model	Lm/W
4000K	120 Lm/W
3500K	116 Lm/W
3000K	112 Lm/W

## Dimensions




MODEL	A	B
8 x 2FT	61.4"	61.4"
8 x 3FT	90.4"	90.4"
8 x 4FT	119.3"	119.3"

**Note:**

- 8 x 2FT - 1 Piece
- 8 x 3FT - 2 Pieces
- 8 x 4FT - 4 Pieces

### Mounting



MODEL	A
8 x 2FT	24.5"
8 x 3FT	36.5"
8 x 4FT	48.5"

### Finish Options

#### Standard Finishes



Grey  
RAL 7046  
Sandtex



White  
RAL 9003  
Sandtex



Black  
RAL 9004  
Sandtex

#### Custom Finishes



Orange  
RAL 2009  
Sandtex



Green  
RAL 6010  
Sandtex



Blue  
RAL 5012  
Sandtex



Yellow  
RAL 1037  
Sandtex

Additional finishes - Please contact factory