


Fixture: \_\_\_\_\_ QTY: \_\_\_\_\_ Project : \_\_\_\_\_



# Thinline Combinations

## Modular Lighting System

Architectural lighting. Modular lighting system with intersecting aluminum extruded segments. Our modular segments allow you to customize your lighting setup to your specific needs. Interchangeable segments provide the design flexibility and freedom to create unique patterns and shapes to enhance your space.

cULus certified

Designed and manufactured in North America.

5 Year Warranty



**Features**

**Construction**

Aluminum extruded body  
2.25" Cross section  
4" High

**Performance**


4000K - 120 Lm/W  
3500K - 116 Lm/W  
3000K - 112 Lm/W

**LED**


L90>70,000  
Samsung 301 3-Step MacAdam  
3500K - 98%  
3000K - 96%  
3000K - 85%

**Lens Options**

**Direct Distribution**




Frosted Flat




Frosted  
0.25" Regressed

**Indirect Distribution**



Frosted




Batwing


**L Segments**

**Models**


2Ft x 2Ft | 3Ft x 3Ft | 4Ft x 4Ft




**L 60°**



**L 90°**



**L 120°**




**L 135°**


**T Segments**

**Models**


4Ft x 2Ft | 6Ft x 3Ft | 8Ft x 4Ft



**T 90°**



**T 60°**




**T 120°**


**Double T Segments**

**Models**


4Ft x 2Ft | 6Ft x 3Ft



**Double T 60°**



**Double T 90°**




**Double T 120°**


**U Segments**

**Models**


4Ft x 2Ft | 6Ft x 3Ft




**U 60°**




**U 90°**




**U 120°**



**U 135°**



**U 60°/120°**



**U 120°/60°**


**X Segments**

**Model:X 60**


4 x 2Ft | 3 x 3Ft | 4 x 4Ft

**Model:X 90**

2 x 2Ft | 3 x 3Ft | 4 x 4Ft



**X 60°**




**X 90°**


### Y Segments

**Models**

3 x 2Ft | 3 x 3Ft | 3 x 4Ft



**Y 120°**




**Y 135°**


### Double Y Segments

**Models**

4Ft x 2Ft | 6Ft x 3Ft



**Double Y 120°**



**Double Y 135°**

### Thinline Linear




2': 24.2", 3': 36.2", 4': 48.2", 5': 60.2", 6': 72.2", 7': 84.2", 8': 96.2"


Actual Length = NOMINAL +.2"

### Sample Combinations


**Segments**  
U 135 | Double Y 135




**Segments**  
U 135 | Y 120 | Double Y 120




**Segments**  
L 60 | X 60




**Segments**  
L 60




**Segments**  
L 90




**Segments**  
L 120



**Segments**  
U 120 | Thinline Linear




**Segments**  
U 60/120 | U 120/60 | Thinline Linear




**Segments**

L 120 | T 120 | L 90 | Thinline Linear




**Segments**

T 120 | L 120 | Double Y 120




**Segments**

Double T 120




**Segments**

X 90 | L 90




**Segments**

L 90 | X 90 | Thinline Linear



**Segments**

X 90 | Thinline Linear





## Finish Options

### Standard RAL Finishes




**Signal White**  
RAL 9003

**Telegrey 2**  
RAL 7046

**Signal Black**  
RAL 9004

### Sample Custom RAL Finishes



**Traffic White**  
RAL 9016

**Papyrus White**  
RAL 9018


**Graphic Grey**  
RAL 7024

**Light Grey**  
RAL 7035

**Jet Black**  
RAL 9005

**Graphic Black**  
RAL 9011

**Azure Blue**  
RAL 5009



**Gentian Blue**  
RAL 5010

**Sky Blue**  
RAL 5015

**Pastel Orange**  
RAL 2003

**Pure Orange**  
RAL 2004

**Daffodil Yellow**  
RAL 1007

**Lemon Yellow**  
RAL 1012

**Zinc Yellow**  
RAL 1018



**Coral Red**  
RAL 3016

**Rose**  
RAL 3017


**Traffic Red**  
RAL 3020

**Salmon Pink**  
RAL 3022

**Olive Green**  
RAL 6003

**Moss Green**  
RA 6005

**Grass Green**  
RAL 6010



**Claret Violet**  
RAL 4004

**Traffic Purple**  
RAL 4006

**Pearl Blackberry**  
RAL 4012

**Beige**  
RAL 1001

**Nut Brown**  
RAL 8011

**Sepia Brown**  
RAL 8014

**Mahogany Brown**  
RAL 8016

Custom Finishes - Please contact factory  
Additional Finishes Available - Please contact factory



### Ordering Options

Sample Configuration: DTL COMB - D 250 - I 250 - 80 - 4K - U - FR - FR - WH - AC - DIMOFF - N - 2 - N - 5WIRE - CL - 6 - WH

Model	Direct Lm/ft	Indirect Lm/ft	CRI	Color Temp	Voltage	Direct Lens	Indirect Lens
DTL COMB	D 250	I 250	80	27K 2700K	U 120/277V	FR Frosted Flat	FR Frosted
	D 500	I 500	90	3K 3000K	H 347V	FRREG Frosted Regressed	BATWING Batwing
	D 750	I 750		35K 3500K			
	D 1000	I 1000		4K 4000K			
	D _____	I _____		5K 5000K			
	(custom up to 1200)	(custom up to 1200)					
DTL COMB	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Finish	Mounting	Driver	Controls
<b>WH</b> White <b>BLK</b> Black <b>GRY</b> Grey <b>CU</b> Custom - For custom finishes please specify RAL number - See Finish Options	<b>AC</b> Aircraft Cable 10' (Std)	<b>DIMOFF</b> DIMOFF <i>Optional</i> <b>DALI</b> Digital Addressable Lighting Interface <b>LUTRON</b> Lutron Ecosystem <b>SR</b> Philips SR <b>ELDO</b> .1% ELDO (347 only 1-10 5%)	<b>N</b> None <i>Optional</i> <b>DMX</b> Digital Multiplex <b>SNS</b> Philips SNS 300 w/BLD & Daylight <b>CLM</b> Encelium CLM <b>LG</b> LG Dongle <b>BT</b> Bluetooth Mesh <b>EN</b> Enlighted Integral
<input type="text"/>	<b>AC</b>	<input type="text"/>	<input type="text"/>

Circuits	Accessories	Wiring	Wire Color	Wire Length	Canopy Color
<b>1</b> 1 Circuit <b>2</b> 2 Circuits	<b>N</b> None <i>Optional</i> <b>10kV</b> 10kV Surge Protection <b>EM</b> Emergency Battery <b>+GTD</b> Generator Transfer Device	<b>5 WIRE</b> 5 Wire (Std) <i>Optional</i> <b>N</b> 5 Leads <b>6 WIRE</b> 6 Wire - Cable (EM - Emergency Battery Option)	<b>CL</b> Clear <i>Optional</i> <b>B</b> Black <b>W</b> White	<b>Length (Ft)</b> - 6Ft (Std)	<b>WH</b> White <b>BLK</b> Black <b>CU</b> Custom - For custom finishes please specify RAL number - See Finish Options
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>