

Fixture:	QTY:	QTY:			
Droinet					
Project:					

Zip Cloud Acoustic

Suspended Direct

Our Zip Cloud pendant acoustic light fixture combines the best of lighting and sound absorption technology.

Our innovative lighting solution not only illuminates your environment with brilliant LED light but also enhances the acoustics of the room, creating an environment that is both visually stunning and acoustically pleasing.

Designed and Manufactured in North America.







Specifications

Efficacy 120 Lm/W

Watts 20W - 160W (see performance table)

CRI 80, 90

Lumen Maintenance 200,000+ Life Hours L70

Color Temp 2700K, 3000K, 3500K, 4000K, 5000K

Voltage 120/277, 347V

Construction Aluminum extrusion

Dimensions Height: 4"

Diameter: 18", 24",36", 44"

Mounting Aircraft Cable 10" Standard

Lens Direct Frosted Flat

Driver 0-10 DIMOFF

Felt Rigid Panels - 9.5mm | 0.37" Thick

1500 GSM (44 opsy) 60% Recycled PET Fiber

35 Vibrant Colors

Certifications CULus


Dry and Damp Rated

Warranty 5-Year Warranty

Output Performance

Model	Watts	Lm/W	Delivered Lumens
Zip Cloud 18	20 40 60 70	120	2,400 4,800 7,200 8,400
Zip Cloud 24	20 40 60 80	120	2,400 4,800 7,200 9,600
Zip Cloud 36	40 80 120 160	120	4,800 9,600 14,400 19,200
Zip Cloud 44	80 120 160	120	9,600 14,400 19,200

Dimensions






Eco Lux Designer Felt

Color Options







Model	Size	Watts	CRI	Color Temp	Voltage	Distribution	Felt Color	Mounting
Zip Cloud A	18 24 36 44	20, 40, 60, 70 20, 40, 60, 70 40, 80, 120, 160 80, 120, 160	80 90	3K - 3000K 35K - 3500K 4K - 4000K 5K - 5000K	U - 120/277V H - 347V	Direct	Color - Please see color options	AC - Aircraft Cable 10' Standard

BFC 3 Wire - Black 3 Conductor Wire BFC 5 Wire - Black 5 Conductor Wire WFC 3 Wire - White 3 Conductor Wire

Wiring

WFC 3 Wire - White 3 Conductor Wire WFC 5 Wire - White 3 Conductor Wire

DIMOFF - 0-10V DIMOFF

Driver

Canopy Finish
WH - White RAL 9003
BLK - Black RAL 9004
CU - Custom

- Please contact factory for custom finishes