


Date	Fixture	Project	Quantity
------	---------	---------	----------

DTL MTL Clusters

Suspended

Features

- Architectural luminaire
- Slim minimal design
- Pendant mounting
- Mid power LED clusters groups
- Dry and damp rated for indoor applications
- Designed and Manufactured in North America
- 5 Year Warranty



Specifications

Construction

Aluminum Extruded Body
Powder Coated Finish

Dimensions

Width: 2.25" | Height: 4" | Lengths: 2' - 8'

LED

Samsung LM281B Plus Pro, 3-Step MacAdam Binning
4000K - 130 Lm/W
3500K - 98%
3000K - 95%
L90>70,000

Cluster Watts

6W - 24W

Color Temperature

2700K - 5000K

CRI

80 or 90

Voltage

120V (2' - 3')
120/277V (2' - 8')
347V (4' - 8')

Driver

Phase Dimming (2' - 3')
0-10V Dimming down to 1% (4' - 8')

Cluster Lens

Clear or Diffused

Cluster Lens

Clear or Diffused

Cluster Beam

50°
80°

Mounting

Aircraft Cable (10' std), Threaded Rod 1/4-20 (3' Std), T-Bar Clip
Note: For indirect distribution, mount at a minimum distance of 3ft from the ceiling

Wiring

5 Leads Std
Custom

Cluster Finishes

Black (Gloss or Matte)
White (Gloss or Matte)
Metallic (Gloss or Matte)

Finishes

Black - RAL 9004, Grey - RAL 7046, White - RAL 9003
Custom RAL finishes available

Certifications

cULus

Ordering Guide

Sample Configuration: DTL CLTL MTL - 5 - 15W - 80 - 4K - U - CL - 50 - WHG - WH - AC - DIMOFF - CF - CF - 5 WIRE - CL - 6 - WH

DTL CLTL MTL										
Model	Length	Cluster Watts	CRI	Color Temp	Voltage	Cluster Lens	Cluster Beam	Cluster Finish	Finish	Mounting
			5 WIRE							
Driver	Controls	Accessories	Wiring	Wire Color	Wire Length	Canopy Finish				

Model	Length	Cluster Watts	CRI	Color Temp	Voltage	Cluster Lens	Cluster Beam
DTL CLTL MTL	2	6W - 2'	80	27K - 2700K	U - 120/240V	CL - Clear DF - Diffused	50 - 50° Beam 80 - 80° Beam
	3	9W - 3'	90	3K - 3000K	120 - 120V (2'-3')		
	4	12W - 4'		35K - 3500K	H - 347V (4'-8')		
	5	15W - 5'		4K - 4000K			
	6	18W - 6'		5K - 5000K			
	7	21W - 7'					
	8	24W - 8'					

Cluster Finish	Finish	Mounting	Driver
WHG - White Gloss WHM - White Matte BLKG - Black Gloss BLKM - Black Matte MTG - Metallic Gloss MTM - Metallic Matte	WH - White BLK - Black GRY - Grey CU - Custom* Note: For custom finishes please specify RAL number	AC - Aircraft Cable - 10' Standard Optional STB 9/16 - T-Bar 9/16 STB 15/16 - T-Bar 15/16 TR - Threaded Rod 1/4-20 (length)____ Note: Recommended mounting minimum 3ft from the ceiling	DIMOFF - 0-10 DIMOFF (4' - 8') DIM - Phase Dimming (2'-3')

Controls	Accessories	Wiring	Wire Color	Wire Length	Canopy Finish
Contact Factory	Contact Factory	5 WIRE - 5 Wire	CL - Clear Optional B - Black W - White	Length ____ 6' Standard	WH - White BLK - Black GRY - Grey CU - Custom* Note: For custom finishes please specify RAL number

Dimensions



W: 2.25"
H: 4"




4': 48.2", 5': 60.2", 6': 72.2", 7': 84.2", 8': 96.2"
Actual Length = NOMINAL +.2"




Model: DTL 5' w/ 5 cluster groups


Cluster Distribution/Lens Options




50°
Wide Beam



50°
Wide Beam
Variant with
Diffused Lenses




80°
Wide Beam



80°
Wide Beam
Variant with
Diffused Lenses

Cluster Spacing



12" 12"
Model: DTL 3' w/ 3 cluster groups

Cluster Locations


DTL 2'



DTL 3'



DTL 4'



DTL 5'




DTL 6'




DTL 7'



DTL 8'




Mounting Options




Ø 4.5"
Power Feed




Ø 2"
Non Power Feed



Aircraft Cable Canopy / Drywall Anchor




T-Grid
T-Bar Caddy Clip



Threaded Rod 1/4-20
3' Standard

Mounting Locations



Model	Mounting Lengths - C
DTL 2	20.5"
DTL 3	32.5"
DTL 4	44.5"
DTL 5	56.5"
DTL 6	68.5"
DTL 7	80.5"
DTL 8	92.5"

Finish Options

Standard Finishes



Signal White
RAL 9003

Telegrey 2
RAL 7046

Signal Black
RAL 9004

Custom Finishes



Traffic White
RAL 9016

Papyrus White
RAL 9018

Graphic Grey
RAL 7024

Jet Black
RAL 9005

Graphic Black
RAL 9011

Azure Blue
RAL 5009

Gentian Blue
RAL 5010

Sky Blue
RAL 5015



Pastel Orange
RAL 2003

Pure Orange
RAL 2004

Lemon Yellow
RAL 1012

Zinc Yellow
RAL 1018

Coral Red
RAL 3016

Rose
RAL 3017

Traffic Red
RAL 3020

Salmon Pink
RAL 3022



Olive Green
RAL 6003

Grass Green
RAL 6010

Claret Violet
RAL 4004

Traffic Purple
RAL 4006

Pearl Blackberry
RAL 4012

Beige
RAL 1001

Nut Brown
RAL 8011

Sepia Brown
RAL 8014

Please contact factory for additional and custom Finishes

Cluster Finishes



**Gloss
Signal White**
RAL 9003

**Matte
Signal White**
RAL 9003

**Gloss
Signal Black**
RAL 9004

**Matte
Signal Black**
RAL 9004

**Gloss
Metallic**

**Matte
Metallic**

Canopy Finishes



Signal White
RAL 9003

Telegrey 2
RAL 7046

Signal Black
RAL 9004