


Fixture: _____ QTY: _____ Project : _____



Octagon Honeycomb

Combinations | Modular Lighting System

Architectural lighting. Modern and contemporary design. Honeycomb lighting combinations. Modular design with intersecting aluminum extruded segments. Pendant mounting with direct, direct-indirect distribution options. 2.25" cross section. Multiple size and finish options.

cULus certified

Designed and manufactured in North America.

5 Year Warranty

Performance

4000K - 120 Lm/W | 3500K - 116 Lm/W | 3000K - 112 Lm/W

LED


L90>70,000

Samsung 301 3-Step MacAdam


3500K - 98% | 3000K - 96% | 3000K - 85%

Lens Options

Direct Distribution




Standard
Frosted Flat




Frosted
0.25" Regressed

Lens Options

Indirect Distribution




Standard
Frosted




Batwing

Honeycomb Combinations


Honeycomb 1




Honeycomb 4



Honeycomb 7




Honeycomb 10



Honeycomb 4 - Dimensions

Octagon Size	A	B	C
Octa: 4 Ft	119.3"	119.3"	284.9"
Octa: 6 Ft	177.3"	177.3"	424.8"
Octa: 8 Ft	235.2"	235.2"	564.7"




Honeycomb-1 Combinations - Dimensions


Octagon Size	HC-4	HC-7	HC-10
Octa: 4 Ft	284.9"	450.5"	615.7"
Octa: 6 Ft	424.8"	672.3"	919.9"
Octa: 8 Ft	564.7"	894.2"	1223.6"

Note: Custom combinations (lengths) available


Honeycomb 2




Honeycomb 5



Honeycomb 8




Honeycomb 11



Honeycomb 4 - Dimensions

Octagon Size	A	B	C
Octa: 4 Ft	119.3"	119.3"	284.9"
Octa: 6 Ft	177.3"	177.3"	424.8"
Octa: 8 Ft	235.2"	235.2"	564.7"




Honeycomb-2 Combinations - Dimensions


Octagon Size	HC-5	HC-8	HC-11
Octa: 4 Ft	284.9"	450.5"	615.7"
Octa: 6 Ft	424.8"	672.3"	919.9"
Octa: 8 Ft	564.7"	894.2"	1223.6"

Note: Custom combinations (lengths) available


Honeycomb 3




Honeycomb 4



Honeycomb 9




Honeycomb 16




Honeycomb 4 - Dimensions


Octagon Size	A	B	C
Octa: 4Ft	119.3"	119.3"	236.4"
Octa: 6Ft	177.3"	177.3"	424.8"
Octa: 8Ft	235.2"	235.2"	564.7"



HC-4



HC-9



HC-16

Honeycomb-3 Combinations - Dimensions

Hexagon Size	HC-4	HC-9	HC-16	C-4	C-9	C-16
Octa: 4Ft	236.4"	353.5"	470.6"	236.4"	353.5"	470.6"
Octa: 6Ft	352.3"	527.3"	702.4"	352.3"	527.3"	702.4"
Octa: 8Ft	468.2"	701.2"	934.1"	468.2"	701.2"	934.1"

Note: Custom combinations (lengths) available

Ordering Options

Sample Configuration: DTL OCTA - HC 3 - 6Ft - D 250 - I 250 - 80 - 4K - U - FR - FR - WH - AC - DIMOFF - N - 2 - N - 5WIRE - CL - 6 - WH

Model	Honeycomb				Octagon	Direct Lm/ft	Indirect Lm/ft
DTL OCTA	Honeycomb 1:	Honeycomb 2:	Honeycomb 3:	Honeycomb 4:	4Ft	D 250	I 250
	HC-4	HC-5	HC-4	HC-4	6Ft	D 500	I 500
	HC-7	HC-8	HC-9	HC-9	8Ft	D 750	I 750
	HC-10	HC-11	HC-16	HC-16	<i>Note: Octagon Side</i>	D 1000	I 1000
	Custom	Custom	Custom	Custom		D _____	I _____
	HC _____	HC _____	HC _____	HC _____		<i>(custom up to 1200)</i>	<i>(custom up to 1200)</i>

DTL OCTA	Honeycomb 1: _____	Honeycomb 2: _____	Honeycomb 3: _____	Honeycomb 4: _____			
-----------------	--------------------	--------------------	--------------------	--------------------	--	--	--

CRI	Color Temp	Voltage	Direct Lens	Indirect Lens	Finish	Mounting
80	27K 2700K	U 120/277V	FR Frosted Flat	FR Frosted	WH White	AC Aircraft Cable
90	3K 3000K	H 347V	FRREG Frosted Regressed	BATWING Batwing	BLK Black	10' (Std)
	35K 3500K				GRY Grey	
	4K 4000K				CU Custom	
	5K 5000K					

- For custom finishes please specify RAL number
- See Finish Options

						AC
--	--	--	--	--	--	-----------

Driver	Accessories	Circuits	Accessories	Wiring
DIMOFF 0-10V DIMOFF	N None	1 1 Circuit	N None	5 WIRE 5 Wire (Std)
<i>Optional</i>	<i>Optional</i>	2 2 Circuits	<i>Optional</i>	<i>Optional</i>
DALI Digital Addressable Lighting Interface	DMX Digital Multiplex		10kV 10kV Surge Protection	N 5 Leads
LUTRON Lutron Ecosystem	SNS Philips SNS 300 w/BLD & Daylight		EM Emergency Battery	6 WIRE 6 Wire - Cable (EM - Emergency Battery Option)
SR Philips SR	CLM Encelium CLM		+GTD Generator Transfer Device	
ELDO .1% ELDO (347 only 1-10 5%)	LG LG Dongle			
	BT Bluetooth Mesh			
	EN Enlighted Integral			

--	--	--	--	--

Wire Color	Wire Length	Canopy Color
CL Clear	Length(Ft)	WH White
<i>Optional</i>	- 6Ft (Std)	BLK Black
B Black		CU Custom
W White		- For custom finishes please specify RAL number - See Finish Options

--	--	--

Finish Options

Standard RAL Finishes




Signal White
RAL 9003

Telegrey 2
RAL 7046

Signal Black
RAL 9004

Sample Custom RAL Finishes



Traffic White
RAL 9016

Papyrus White
RAL 9018

Graphic Grey
RAL 7024

Light Grey
RAL 7035

Jet Black
RAL 9005

Graphic Black
RAL 9011

Azure Blue
RAL 5009



Gentian Blue
RAL 5010

Sky Blue
RAL 5015

Pastel Orange
RAL 2003

Pure Orange
RAL 2004

Daffodil Yellow
RAL 1007

Lemon Yellow
RAL 1012

Zinc Yellow
RAL 1018



Coral Red
RAL 3016

Rose
RAL 3017


Traffic Red
RAL 3020

Salmon Pink
RAL 3022

Olive Green
RAL 6003

Moss Green
RA 6005

Grass Green
RAL 6010



Claret Violet
RAL 4004

Traffic Purple
RAL 4006

Pearl Blackberry
RAL 4012

Beige
RAL 1001

Nut Brown
RAL 8011

Sepia Brown
RAL 8014

Mahogany Brown
RAL 8016

Custom Finishes - Please contact factory
Additional Finishes Available - Please contact factory