

Fixture: _____ QTY: _____ Project : _____


Thinline Spots

Surface Mount

Architectural spotlights. Aluminum extruded body. Surface mount applications. Cast end caps with light block. 4 size options. Spotlight driver 0-10V dimming. Universal 120/277 voltage. Dry and damp rated.

cULus Listed

Designed and manufactured in North America
5 Year Warranty



Ordering Options

Sample Configuration: DTL SPT - 10W - 3 - 80 - 4K - N - BLK - SU - DIMOFF - N - N - N

| Model | Watts | Spots | CRI | Color Temp | Spot Reflector | Finish | Mounting |
|---------|-------|-----------|----------|------------|----------------|-----------|------------------|
| DTL SPT | 10W | 1 - Spots | 80 | 27K 2700K | N Narrow - 20° | WH White | SU Surface Mount |
| | 15W | 2 - Spots | 90 | 3K 3000K | M Medium - 30° | BLK Black | |
| | | 3 - Spots | | 35K 3500K | W Wide - 50° | GRY Grey | |
| | | 4 - Spots | | 4K 4000K | | CU Custom | |
| | | | 5K 5000K | | | | |

- For custom finishes please specify RAL number
- See Finish Options

DTL SPT **SU**


| Driver | Controls | Accessories | Wiring |
|-----------------------------------|---|---------------------------------------|------------------|
| DIMOFF 0-10V DIMOFF | N None | N None | N 5 Leads |
| <i>Optional</i> | <i>Optional</i> | <i>Optional</i> | <i>Optional</i> |
| TRI Triac Dimming | SNS Philips SNS 300 w/BLD & Daylight | 10kV 10kV Surge Protection | 5 5 Wire |
| ELV Electronic Low Voltage | CLM Encelium CLM | +GTD Generator Transfer Device | |
| | LG LG Dongle | | |
| | BT Bluetooth Mesh | | |
| | EN Enlighted Integral | | |

Output Performance - Spotlight


| Model | Watts | CCT | CRI | Lm/W | Delivered Lumens |
|------------|-------|-------|-----|------|------------------|
| DEL SPL 10 | 11.4 | 2700K | 80 | 151 | 1,732 |
| | 11.4 | 3000K | 80 | 161 | 1,840 |
| | 11.4 | 3500K | 80 | 165 | 1,883 |
| | 11.4 | 4000K | 80 | 166 | 1,894 |
| | 11.4 | 5000K | 80 | 167 | 1,916 |

| Model | Watts | CCT | CRI | Lm/W | Delivered Lumens |
|------------|-------|-------|-----|------|------------------|
| DEL SPL 15 | 16.3 | 2700K | 80 | 151 | 2,474 |
| | 16.3 | 3000K | 80 | 161 | 2,628 |
| | 16.3 | 3500K | 80 | 165 | 2,690 |
| | 16.3 | 4000K | 80 | 166 | 2,706 |
| | 16.3 | 5000K | 80 | 167 | 2,737 |


Spot Beam



20° Spot Beam




30° Medium Beam




50° Wide Beam

Dimensions


Del Spot 1




Del Spot 2



Del Spot 3




Del Spot 4




Mounting


Del Spot 1




Del Spot 2



Del Spot 3




Del Spot 4



Finish Options

Standard RAL Finishes



Signal White
RAL 9003




Telegrey 2
RAL 7046




Signal Black
RAL 9004


Sample Custom RAL Finishes




Traffic White
RAL 9016



Papyrus White
RAL 9018



Graphic Grey
RAL 7024



Light Grey
RAL 7035



Jet Black
RAL 9005



Graphic Black
RAL 9011



Azure Blue
RAL 5009



Gentian Blue
RAL 5010



Sky Blue
RAL 5015



Pastel Orange
RAL 2003




Pure Orange
RAL 2004




Daffodil Yellow
RAL 1007




Lemon Yellow
RAL 1012



Zinc Yellow
RAL 1018




Coral Red
RAL 3016



Rose
RAL 3017



Traffic Red
RAL 3020



Salmon Pink
RAL 3022




Olive Green
RAL 6003




Moss Green
RA 6005




Grass Green
RAL 6010



Claret Violet
RAL 4004




Traffic Purple
RAL 4006




Pearl Blackberry
RAL 4012




Beige
RAL 1001



Nut Brown
RAL 8011



Sepia Brown
RAL 8014



Mahogany Brown
RAL 8016

Custom Finishes - Please contact factory
Additional Finishes Available - Please contact factory